

Permission To Use Danger Assessment

Thank you for your interest in the Danger Assessment instrument. The challenge for those who encounter abused women is to identify those with the highest level of danger. The “Danger Assessment” instrument has been used by law enforcement, health care professionals, domestic violence advocates and researchers for 25 years.

To use the Danger Assessment to its fullest extent, a scoring system, which has been updated and validated, is available to interpret the Danger Assessment results. The Danger Assessment is best used by a person certified to administer the assessment and interpret the scoring system. Certification programs in various formats can be found at www.dangerassessment.com.

There is no charge and no further permission needed for the use of this instrument as long as the reference is properly cited (see below). However, it has a copyright to indicate that it may *not* be *changed* in any way without specific permission from me.

There is a charge to become certified to use the scoring system; see the rest of the website for details.

The Danger Assessment is a project in process. It is continually being checked for accuracy and usefulness. In light of that, we ask that you share the results of any research (raw or coded data) which is conducted using the instrument. The following information would be extremely valuable:

- an approximate number of women with whom the instrument was used,
- a description of their demographics,
- their mean score, and
- the setting in which the data was collected.

Comments (positive and negative) and suggestions for improvement from battered women themselves, advocates, and professionals who are involved in its use are also being collected. Please send this information to the address below.

I look forward to your feedback regarding the Danger Assessment.

Sincerely,
Jacquelyn C. Campbell, PhD, RN, FAAN
Anna D. Wolf Chair
Associate Dean for Faculty Affairs
525 N. Wolfe Street
Baltimore, MD 21205
www.dangerassessment.com
jcampbell@dangerassessment.com

DANGER ASSESSMENT REFERENCE LIST

- Block, C. R., Engel, B., Naureckas, S. M., & Riordan, K. A (1999). The Chicago women's health risk study: Lessons in collaboration. *Violence Against Women*, 5, 1158-1177.
- Browne, A. (1987). *Battered women who kill*. New York: Free Press.
- Browne, A. Williams, K., and Dutton, D (1998). Homicide between intimate partners. In: *Homicide: A sourcebook of social research*, edited by M.D.Smith and M.Zahn, Thousand Oaks, CA:Sage, p. 149-164.
- Campbell, J. C. (1995). *Assessing Dangerousness* . Newbury Park: Sage.
- Campbell, J.C. (1992). "If I can't have you, no one can": Power and control in homicide of female partners. In: *Femicide: The politics of woman killing*, edited by J. Radford and D. E. H. Russell, New York:Twayne, p. 99-113.
- Campbell, J. C. (1981). Misogyny and homicide of women. *Advances in Nursing Science*, 3, 67-85.
- Campbell, J. C. (1986). Nursing assessment for risk of homicide with battered women. *Advances in Nursing Science*, 8, 36-51.
- Campbell, D. W., Campbell, J. C., King, C., Parker, B., & Ryan, J. (1994). The reliability and factor structure of the index of spouse abuse with African-American battered women. *Violence and Victims*, 9, 259-274.
- Campbell, J.C., Sharps, P., and Glass, N. (2000). Risk Assessment for Intimate Partner Homicide. In: *Clinical Assessment of Dangerousness: Empirical Contributions*, edited by G. F. Pinard and L. Pagani, New York:Cambridge University Press.
- Campbell, J. C., Soeken, K., McFarlane, J., & Parker, B (1998). Risk factors for femicide among pregnant and nonpregnant battered women. In J.C.Campbell (Ed.), *Empowering survivors of abuse: Health care for battered women and their children* (pp. 90-97). Thousand Oaks, CA: Sage.
- Campbell, J. C., and Webster, D. (submitted). The Danger Assessment: Psychometric support from a case control study of intimate partner homicide.
- Campbell, J.C., Webster, D., Koziol-McLain, J., et.al (2003). Assessing risk factors for intimate partner homicide. *National Institute of Justice Journal* (250):14-19. (Full Text: <http://ncjrs.org/pdffiles1/jr000250e.pdf>)
- Campbell, J.C. Webster, D., Koziol-McLain, J. et.al (2003). Risk Factors for Femicide in Abusive Relationships: Results from a Multi-Site Case Control Study. *American Journal of Public Health*, 93 (7):1089-1097.
- Diaz-Olavarrieta, C., Campbell, J. C., Garcia de la Cadena, C., Paz, F., & Villa, A. (1999). Domestic violence against patients with chronic neurologic disorders. *Archives of Neurology*, 56, 681-685.
- Fagan, J. A., Stewart, D. E., & Hansen, K. (1983). Violent men or violent husbands? Background factors and situational correlates. In R.J.Gelles, G. Hotaling, M. A. Straus, & D. Finkelhor (Eds.), *The dark side of families* (pp. 49-68). Beverly Hills: Sage.
- Ferraro, K. J. & Johnson, J. M. (1983). How women experience battering: The process of victimization. *Social Problems*, 30, 325-339.
- Goodman, L., Dutton, M. and Bennett, M. (1999). Predicting repeat abuse among arrested batterers: Use of the danger assessment scale in the criminal justice system. *J. Interpers. Violence*, 15, 63-74.

- Heckert, D. A., & Gondolf, E. W. (2004). Battered women's perceptions of risk versus risk factors and instruments in predicting repeat reassault. *J.Interpers. Violence* 19 (7):778-800.
- Heckert, D. A., & Gondolf, E. W. (2001). Predicting levels of abuse and reassault among batterer program participants. Paper presented at the American Society of Criminology, Atlanta, GA.
- McFarlane, J., Campbell, J. C., Sharps, P., & Watson, K. (2002). Abuse during pregnancy and femicide: urgent implications for women's health. *Obstet.Gynecol.*, 100, 27-36.
- McFarlane, J., Campbell, J. C., & Watson, K. (2002). Intimate Partner Stalking and Femicide: Urgent implications for women's safety. *Behavioral Sciences and the Law*, 20, 51-68.
- McFarlane, J., Campbell, J. C., and Wilt, S., et al. (1999). Stalking and intimate partner femicide. *Homicide Studies* 3 (4):300-316.
- McFarlane, J., Parker, B., Soeken, K., & Bullock, L. (1992). Assessing for abuse during pregnancy: Severity and frequency of injuries and associated entry into prenatal care. *JAMA*, 267, 3176-3178.
- McFarlane, J., Parker, B., & Soeken, K. (1996). Abuse during pregnancy: Associations with maternal health and infant birth weight. *Nursing Research*, 45, 37-42.
- McFarlane, J., Soeken, K., Campbell, J.C, Parker, B., Reel, S., and Silva, C. (1998). Severity of abuse to pregnant women and associated gun access of the perpetrator. *Public Health Nurs.* 15 (3):201-206.
- McFarlane, J., Soeken, K., Reel, S., Parker, B., & Silva, C. (1997). Resource use by abused women following an intervention program: Associated severity of abuse and reports of abuse ending. *Public Health Nursing*, 14, 244-250.
- Parker, B., McFarlane, J., & Soeken, K. (1994). Abuse during pregnancy: Effects on maternal complications and birth weight in adult and teenage women. *Obstetrics & Gynecology*, 84, 323-328.
- Roehl, J. & Guertin, K. (1998) Current use of dangerousness assessments I sentencing domestic violence offenders Pacific Grove, CA: State Justice Institute.
- Sharps, P. W., Koziol-McLain, J., and Campbell, J. C., et. al. (2001). Health Care Provider's Missed Opportunities for Preventing Femicide. *Prev.Med.*, 33, 373-380.
- Silva, C. McFarlane, J., and Soeken, K, et. al. (1997). Symptoms of post-traumatic stress disorder in abused women in a primary care setting. Journal of Women's Health, 6, 543-552.
- Stuart, E.P. & Campbell, J.C. (1989). Assessment of patterns of dangerousness with battered women. Issues Mental Health Nursing, 10, 245-260.
- Weisz, A., Tolman, R., & Saunders, D. G. (2000). Assessing the risk of severe domestic violence: The importance of survivor's predictions. *Journal of Interpersonal Violence*, 15, 75-90.
- Williams, K. and Conniff, E. (2001). Legal Sanctions and the Violent Victimization of Women. Paper presented at the American Society of Criminology, Atlanta, GA.